The Scandinavian Journal of *Clinical & Laboratory Investigation*

EDITED BY
THE SCANDINAVIAN SOCIETY
FOR CLINICAL CHEMISTRY
AND CLINICAL PHYSIOLOGY

MANAGING EDITOR
O. Stokke

EDITORS

H. Adlercreutz
J. Hartiala
G. Lindstedt
S. Müllertz
O. Munck
N. Norman
I. Romslo
O. Siggard-Andersen
B. Sörbo
R. Vihko

EDITORIAL SECRETARY
J. Norseth

Scand. J. clin. Lab. Invest. – Vol. 44 – 1984

BLACKWELL SCIENTIFIC PUBLICATIONS

No. 1

Original Articles

Screening for thalassaemia and/or iron deficiency: evaluation of some discrimination functions: *G. Chalevelakis, K. Tsiroyannis, J. Hatziioannou & G. Arapakis* ... 1

Reference values for CSF-IgM, CSF-IgM/S-IgM ratio and IgM index, and its application to patients with multiple sclerosis and aseptic meningoencephalitis: *P. Forsberg, A. Henriksson, H. Link & S. Öhman* 7

Effect of long-term penicillamine therapy on erythrocyte CuZn superoxide dismutase activity: *S. L. Marklund, B. Ek & L. Steen* 13

The concentration of free calcium ions in capillary blood from neonates on a routine basis using the ICA 1: *J. Wandrup, C. Kancir & B. Nørgaard-Pedersen* 19

Electroimmunoassay of sex hormone binding globulin. Enhanced sensitivity by autoradiography using A-ring ^{125}I-17-β-oestradiol: *P. Fernlund, S. Gershagen, M. Kjellberg & G. Rannevik* 25

Lack of effects of thyroid hormones on muscarine cholinergic receptors in rat brain and heart: *J. Kastrup & N. J. Christensen* 33

Effect of dietary cod-liver oil on the lipid composition of human erythrocyte membranes: *C. Popp-Snijders, J. A. Schouten, A. P. de Jong & E. A. van der Veen* 39

An improved specific and sensitive radioenzymatic method for determination of serotonin concentrations in biological fluids (radioenzymatic serotonin method): *I. Hindberg* ... 47

Serum vitamin D metabolites in normal subjects after phototherapy: *B. Staberg, C. Christiansen & N. Rossing* 53

Native and degraded fibronectin: new immunological methods for distinction: *J. Selmer, H. Eriksen & I. Clemmensen* 57

Size estimation of acute myocardial infarction from serial serum myoglobin observations with due consideration of individual differences in basic kinetics: *T. Groth, M. Hakman & C. Sylvén* 65

Haemodynamic effects of precordial or carotid ultrasound application on the dog: *J. Timisjärvi, E. Huttu-Hiltunen, R. Kettunen, L. Hirvonen & P. Kinnunen* 79

Evaluation of a method for determination of the subcutaneous blood flow in the forefoot continuously over 24 h: *R. Jelnes & J. Bülow* 85

Conventional malabsorption tests: do they detect the adult patient with villous atrophy?: *R. Gillberg, G. Dotevall, W. Kastrup, G. Lindstedt, H. Mobacken & B. Swolin* 91

No. 2

Original Articles

A rapid latex agglutination test for detection of elevated levels of myoglobin in serum and its value in the early diagnosis of acute myocardial infarction: *K. Nørregaard-Hansen, J. Hangaard & B. Nørgaard-Pedersen* 99

Urinary 99m-Tc-diphosphonate excretion as a simple method to quantify bone metabolism: *L. Hyldstrup, N. Mogensen, G. F. Jensen, P. McNair & I. Transbøl* 105

Serum ionized calcium, nephrogenous and total urinary cyclic AMP and urinary phosphate in normal subjects: *J. Thode, S. N. Holmegaard & O. Siggaard-Andersen* 111

Normal overall leakiness of microvasculature for albumin in patients with chronic obstructive lung disease (COLD): *J. H. Henriksen & A. Kok-Jensen* 119

Relationship between myocardial adenine nucleotide catabolism and tissue blood flow rate in experimental ischaemia: *K. Grong, L. Stangeland, A. M. Bakken, O. O. Ingebretsen, J. Lekven & M. Farstad* 125

Plasma and urine fibronectin concentration in kidney-transplanted patients: *H. O. Eriksen, O. Skjoldby, H. Kjersem, J. Selmer, L. Tranebjærg & I. Clemmensen* 135

Determination of albumin transport rate between plasma and peritoneal space in decompensated cirrhosis: *J. H. Henriksen & H. Ring-Larsen* 143

Extremely high concentration of serum prostate-specific acid phosphatase in an untreated prostatic cancer patient: *P. Vihko, S.-L. Karonen, L. Wahlberg & O. Alfthan* 151

Galactose elimination kinetics in perfused rat liver after two thirds hepatectomy: *H. E. Poulsen, H. Vilstrup & S. Keiding* 155

Chromatofocusing of glutathione S-transferases from human kidney: *K. Koskelo & A. Icén* 159

A selective and simplified radioimmunoassay of 25-hydroxyvitamin D_3: *L. Hummer, L. Nilas, L. Tjellesen & C. Christiansen* 163

Technical Notes

Assay of intestinal disaccharidases: *A. Dahlqvist* 169

Turibidimetric measurement of Bence-Jones proteins using antibodies against free light chains of immunoglobulins. An artifact caused by different polymeric forms of light chains: *J. Heino, A. Rajamäki & K. Irjala* 173

No. 3

Editorial Review

'Robust' statistical methods: *K. Listøl* 177

Original Articles

Treatment of hyperthyroidism: effects on hepatic lipase, lipoprotein lipase, LCAT and plasma lipoproteins: *S. Valdermarsson, P. Hedner & P. Nilsson-Ehle* 183

A single step polarographic assay of glycogen in muscle tissue and a note on the action of amyloglucosidase: *R. C. Harris & E. Hultman* 191

Effects of ouabain and potassium on rabbit arterial smooth muscle cells in culture: *N. C. Henningsen, L. Stavenow & C. Borg* 197

Cigarette smoking and its effects on the platelet-vessel wall interaction: *H. Madsen & J. Dyerberg* 203

Plasma fibronectin concentrations in morbidly obese patients: *A. Dejgaard, T. Andersen, P. Christoffersen, I. Clemmensen & C. Gluud* 207

Lymphocyte counting by cell size distribution analysis of leucocytes compared with conventional blood film differential count: *A. C. Hansen & M. Stahl* 211

A new automated technique for platelet aggregation measurement: *H. K. Nielsen, N. J. Christensen & S. E. Husted* 217

Preparation of frozen reference sera and examples of applications: *A. Uldall* 223

The increased negative charge of prealbumin in cerebrospinal fluid is acquired *in vitro* by oxidation of the cysteinyl residues without formation of disulphides: *P. Felding & G. Fex* 231

Analysis of cranial 133-Xenon clearance in the newborn infant by the two-compartment model: *G. Greisen, P. S. Frederiksen, J. Mali & B. Friis-Hansen* 239

The effect of continuous vasopressin infusion on splanchnic blood flow, liver function, and portal and central venous pressures in patients with cirrhosis: *L. Ranek, H. Vilstrup, J. Iversen, P. Petersen & M. Milandri* 251

Leucocyte-associated plasma proteins in leucocytes during disease states, and in leukaemic cells: *M. M. Andersen* 257

Technical Note

Extraction from bone powder: collagen, calcium and phosphate: *L. Tougaard, N. Tøffner Clausen, K. Grunnet & J. Thode* 267

No. 4

Editorial Review

Arterial plasma adrenaline in essential hypertension: *S. E. Kjeldsen & I. Eide* 271

Original Articles

Determination of 25-hydroxyvitamin D_3 in serum by high performance liquid chromatography and isotope dilution-mass spectrometry: *I. Holmberg, T. Kristiansen & M. Sturén* 275

Changes in fatty acid composition of major glycerophospholipids in erythrocyte membranes from chronic alcoholics during withdrawal: *C. Alling, L. Gustavsson, A. Kristensson-Aas & S. Wallerstedt* 283

A rapid radioimmunoassay of human apolipoproteins C-II and C-III: *S. Gustafson, A.-M. Östlund-Lindqvist & B. Vessby* 291

Determination of zinc in erythrocytes, granulocytes and serum by flame atomic absorption spectrophotometry: *L. V. Jepsen* 299

Separation of plasma high-density lipoprotein subclass by a combined precipitation method using polyethylene glycol 6000 and dextran sulphate: *B. Lundberg, S. Högström, P. Pietiläinen, M. Suominen & J. Viikari* 305

Suction blisters of the skin: a compartment with physiological, interstitium-like properties: *S. Groth & B. Staberg* 311

Catecholamine responsive adenylate cyclase in human myocardial preparations. Properties and optimalization of assay conditions: *S. Golf, T. Jahnsen, H. Attramadal, T. Frøysaker & V. Hansson* 317

Haemoglobin A_{1c} in pregnant diabetic patients at delivery and haemoglobin F_1 in cord blood from their newborns: *H. A. Olesen, S. Sørensen, P. K. Hansen & L. Mølsted-Pedersen* 329

Testosterone treatment and arginine-induced growth hormone stimulation in male delayed puberty: effects on serum calcium, phosphate and vitamin D metabolites: *L. Hyldstrup, C. Christiansen, M. D. Nielsen & I. Transbøl* 335

Acute effects and long-term variation in skin blood flow measured with laser Doppler flowmetry: *S. Sundberg* 341

Vasoactive intestinal polypeptide and somatostatin in leucocytes: *I. Lygren, A. Revhaug, P. G. Burhol, K.-E. Giercksky & T. G. Jenssen* 347

Acute effect of exogenous thyroxine dose on serum thyroxine and thyrotrophin levels in treated hypothyroid patients: *E. Soppi, K. Irjala, H.-L. Kaihola & J. Viikari* 353

Plasma levels of the leucocyte L1 protein in febrile conditions: relation to aetiology, number of leucocytes in blood, blood sedimentation reaction and C-reactive protein: *J. Sander, M. K. Fagerhol, J. S. Bakken & I. Dale* 357

Plasma secretin before and after gastroplasty for morbid obesity: *J. Miskowiak, B. Andersen, F. Stadil & O. B. Schaffalitzky de Muckadell* 363

Letter to the Editor

Can commercial RIA kits be relied upon?: *G. Lindstedt, A. Kilander, G. Lundquister & P.-A. Lundberg* 367

No. 5

Editorial Review

Postpartum thyroid dysfunction: *R. Jansson, P. A. Dahlberg & A. Karlsson* 371

Original Articles

Evaluation of dipsticks for the assessment of microhaematuria: *A. Åsberg, E. H. Lehmann & J. E. Pettersen* 377
A method for determination of immunoreactive trypsin in complex with α_1-antitrypsin in human sera: *A. Borgström & K. Ohlsson* 381
Urinary excretion of tetrahydroxylated bile acids in children with α_1-antitrypsin deficiency and neonatal cholestasis: *A. Németh & B. Strandvik* 387
Binding of tyrosine-A-14(^{125}I)-monoiodoinsulin to human erythrocytes: *K. Pettersson, T. Koivula & E. Kokko* 393
Quality control of insulin radioreceptor assay for human erythrocytes. Effect of ageing of mono-^{125}I-Tyr-A14-insulin preparation: *A. Marttinen, T. Koivula, H. Jokela, M. Lehtinen & A. Pasternack* 401
Reference intervals for urinary glucose in pregnancy: *H. Mortensen, L. Mølsted-Pedersen, L. Schmølker & H. Olesen* 409
Typing of genetic variants of α_1-antitrypsin from dried blood: *J.-O. Jeppsson & T. Sveger* ... 413
A radiometric whole blood test for chronic granulomatous disease: *M. Strate, D. Elkjær & P. Wang* 417
Viability in split-skin biopsies measured by a surface oxygen electrode: *H. S. Jensen & B. F. Alsbjörn* 423
Creatine kinase isoenzymes in serum from children—especially focusing on CK-BB: *F. B. Jørgensen, J. Badskjær, B. S. Pedersen & K. Boysen* 429
Synthetic protease inhibitors and post-ejaculatory degradation of human semen proteins: *H. Lilja & H. Weiber* 433
Characterization of the predominant basic protein in human seminal plasma, one cleavage product of the major seminal vesicle protein: *H. Lilja, C.-B. Laurell & J.-O. Jeppsson* ... 439
Liquefaction of coagulated human semen: *H. Lilja & C.-B. Laurell* 447

Technical Notes

Increase of serum angiotensin-converting enzyme activity after freezing: *K. Pietilä & T. Koivula* 453
Cyclohexanone extraction: an improvement in the thiobarbituric acid method for the determination of nonenzymatic glycosylation of hair and epidermal keratin: *D. P. Thomas, L. Delbridge, D. Morris & M. J. Howell* 457

Letters to the Editor

Refsum's disease, adrenoleucodystrophy, and the Zellweger syndrome: *O. Stokke, S. Skrede, J. Ek & I. Björkhem* 463
Thyroid function evaluation in the mid '80s; *G. Lindstedt, L.-E. Tisell, E. Nystrøm, K. Petersen, R. Jagenburg & P.-A. Lundberg* 465
Immunofixation of alkaline phosphatase-immunoglobulin complexes: *A. Danielsson & H. von Schenck* 471
Erratum 475

No. 6

Original Articles

Purification and storage of thyroglobulin. Two important factors influencing the radioimmunoassay for thyroglobulin: *U.-B. Ericsson, I. Larsson & J. I. Thorell* 477

A new sensitive immunosorbent radioassay for the detection of circulating antibodies to polypeptide hormones and proteins: *U.-B. Ericsson, I. Larsson, A. Murne & J. I. Thorell* 487

Determination of tissue plasminogen activator in plasma samples by means of a radioimmunoassay: *G. Urdén & M. Blombäck* 495

Effect of intravenous digitoxin on inotropy, haemodynamics and P–Q interval in ischaemic heart disease: *J. P. Amlie, S. Sire & S. Nitter-Hauge* 503

A method for the determination of the total number of ^{3}H-ouabain binding sites in biopsies of human skeletal muscle: *A. Nørgaard, K. Kjeldsen & T. Clausen* 509

Five guaiac-based tests for occult blood in faeces compared *in vitro* and *in vivo*: *H. Adlercreutz, P. Partanen, P. Virkola, K. Liewendahl & M. J. Turunen* 519

Decrease of plasma fibronectin concentration following infusion of a gelatin-based plasma substitute in man: *B. Brodin, F. Hesselvik & H. von Schenck* 529

The relationship between the dermal content and the 24-hour excretion of analytically identical glycosaminoglycans in humans: *J. H. Poulsen & M. Vœth* 535

Determination of activated plasma fibronectin using radioactive labelled collagen I: *M. Fenger* 541

Binding of transferrin and uptake of iron by K-562 cells: *S. Slørdahl, I. Romslo & J. Lamvik* 549

A comparison between serum ferritin concentration and the amount of bone marrow stainable iron: *E. Harju, A. Pakarinen & T. Larmi* 555

Ouabain inhibits renin release by a direct renal haemodynamic effect: *Ø. Långard, H. Holdaas, A. Vikse, O. M. Sejersted & I. Eide* 557

Methods for determination of conjugated bilirubin in rat faeces: *H. Saxerholt, T. Midtvedt & B. E. Gustafsson* 565

Deconjugation of bilirubin conjugates and urobilin formation by conventionalized germ-free rats: *H. Saxerholt, T. Midtvedt & B. E. Gustafsson* 573

No. 7

Editorial

NORDKEM—An organization to promote the collaboration between clinical laboratories in the Nordic countries: *E. E. A. Leskinen & A. P. W. Nyberg* 579

Original Articles

Interference by cold agglutinins with the measurement of particle concentrations in the Coulter Counter® Model S-Plus IV: *M. Stahl & A. C. Hansen* 583
Stewart-Hamilton and gamma variate methods in computer analysis of dye curves: *R. Kettunen, J. Timisjärvi, E. Kouvalainen, M. Koskela. L. Nuutinen & J. Heikkilä* ... 587
Measurement of 25-hydroxyvitamin D_3 and 25-hydroxyvitamin D_2 in clinical settings: *L. Hummer, L. Tjellesen, H. Rickers & C. Christiansen* 595
Radioimmunoassay for MPV-295, a new antihypertensive drug: *O. Vakkuri, J. Leppäluoto, O. Vuolteenaho, P. Järvensivu, A. Karjalainen & K. Kurkela* 603
Human creatine kinase. Isoenzymes and logistics of energy distribution: *C. Sylvén, E. Jansson, A. Kallner & K. Böök* 611
The determination of ethanol in whole blood by differential pH measurements: *E. Rovida, M. Luzzana, M. Ripamonti, A. Mosca, V. Gambaro, E. Marozzi, F. Lodi & L. Rossi-Bernardi* 617
Short-term effects of desogestrel and ethinyloestradiol on serum proteins in women: *K. Käär, K. Rhen & T. Tarkkila* 623
Relationship of neutrophil cytoplasmic protein (L1) to acute and chronic lung disease: *R. A. Stockley, I. Dale, S. L. Hill & M. K. Fagerhol* 629
Absolute or relative work load in exercise testing—significance of individual differences in working capacity: *P. K. Pedersen & J. R. Nielsen* 635
Direct determination of the tissue-to-blood partition coefficient for Xenon in human subcutaneous adipose tissue: *R. Jelnes, L. B. Rasmussen & J. H. Eickhoff* 643
The effect of alprenolol on serum myoglobin levels in acute myocardial infarction: *F. Pedersen, S. L. Rasmussen, K. Kølendorf & E. Christiansen* 649
Pulmonary vascular resistance in ventricular septal defects: *G. Hedvall* 655
Interstitial fluid volume, plasma volume and colloid osmotic pressure in patients with nephrotic syndrome: *P. Fauchald, H. Noddeland & J. Norseth* 661

Technical Note

On the contamination of commercially available aprotinins with pancreatic islet peptides: *F. G. A. Baldissera & J. J. Holst* 669

No. 8

Original Articles

Measurements of whole body retention of diphosphonate and other indices of bone metabolism in 125 normals: dependency on age, sex and glomerular filtration: *L. Hyldstrup, P. McNair, G. Finn Jensen, N. Borg Mogensen & I. Transbøl* 673

Myoglobin concentration, creatine kinase, and creatine kinase sub-unit B activity in serum after myocardial ischaemia: *O. Baadsgaard & J. F. Schmidt* 679

The effect of continuous subcutaneous insulin infusion on cardiac performance during exercise in insulin-dependent diabetics: *S. Larsen, I. Brynjolf, K. Birch, O. Munck & L. Sestoft* 683

Renin-angiotensin-aldosterone system in exaggerated natriuresis of chronic glomerulonephritis: *H. Danielsen & E. B. Pedersen* 693

TRH immunoreactivity in the thyroid gland: *E. Iversen, J. Weeke & P. Laurberg* 703

The reversal of left ventricular hypertrophy with control of blood pressure in experimental hypertension: *P. G. Fernandez, W. Snedden, H. Idikio, D. Fernanedez & C. R. Triggle* 711

Quantitative determination of acetylcholinesterase by enzyme antigen immunoassay: methodological aspects and clinical use: *J. Hangaard, K. Sørensen, U. Brodbeck & B. Nørgaard-Pedersen* 717

The nature of urinary bile acid conjugates in patients with extrahepatic cholestasis: *G. Hedenborg & A. Norman* 725

Platelet number and platelet volume in healthy young men during exercise and changes in posture: *P. N. Jensen, T. K. Glud & T. Arnfred* 735

Transcutaneous measurement of the oxygen partial pressure using argon to correct for the oxygen consumption of the probe: *J. Hjarbæk, P. Christensen & J. Grønlund* 739

Heat production in human blood lymphocytes. A methodological study: *J. Ikomi-Kumm, M. Monti & I. Wadsö* 745

Patterns of QT/QS_2 ratio in vasomotorically labile young men: *A. Lindqvist, J. Karjalainen, L. A. Laitinen, K. Antila & I. Valimaki* 753

Technical Notes

Evaluation of two enzymatic methods of determining unsulphated serum bile acids: *G. Hedenborg, A. Norman & K. Samuelson* 761

An enzymatic method of determining 7α-hydroxylated bile acids in urine: *G. Hedenborg, A. Norman & K. Samuelson* 765

Letters to the Editor

Serum vitamin D metabolites in normal subjects after phototherapy: *F. R. Greer & B. Staberg, C. Christiansen & N. Rossing* 769

List of Referees for 1984 771